Patient Name:

Advance Notice of Noncoverage/Patient Responsible

Your insurance may not pay for everything, even some care that you or your health care provider have good reason to think you need. We expect your insurance may not pay for the *checked items* below. You are ultimately responsible for payment.

Service(s): Check those that apply	(F) Estimated Cost:
 Massage Therapy per LMT Ancillary modalities Electrodes/reusable pads Other: 	<pre>\$10 per visit \$15 per visit \$\$15 per visit \$\$8 per set of 4 pads \$\$</pre>

WHAT YOU NEED TO DO NOW:

- Read this notice, so you can make an informed decision about your care.
- Ask us any questions that you may have after you finish reading.

OPTIONS: Check only one box. We cannot choose a box for you.

OPTION 1. I want the services listed above.

• OPTION 2. I don't want the services listed above listed above.

Signing below means that you have received and understand this notice. You also receive a copy.

Signature:	Date:

HEALTH FIRST REHAB, INC dba Lewis Bay Chiropractic

Patient Name: Patient D.O.B.:

Chiropractic Physician

Robert Harmon, DC
Joshua Lindauer, DC
Mark Walcutt, DC
Roberta Walcutt, DC

Informed Consent for Chiropractic Services

I have been <u>informed</u> of the following:

- 1. By signing below, I consent to the services being rendered during this visit by the above-named chiropractic physician (s) or any other chiropractic physician who now or in the future treat me while employed by, working or associated with or covering for the above-named chiropractic physician.
- 2. I have been informed that the process of delivering a "Chiropractic Adjustment (manipulation)" may be performed manually or with an instrument to the vertebra(e) of the spine and/or associated structures (ribs, legs, arms etc.), often, but not necessarily resulting, in an audible pop or clicking sound;
- 3. I have been informed that in addition to the Chiropractic Adjustment, one or more "Supportive Therapies" may be applied by the chiropractor or by staff under their direction and supervision incorporating the use of light, sound, vibration, electricity, traction, motion, bracing, heat, cold, and/or nutritional/lifestyle recommendations;
- 4. I have been informed that coinciding with the process of a Chiropractic Adjustment and/or Supportive Therapies there may be, at times, some temporary soreness and/or stiffness; less frequently aggravation of presenting symptoms or initiation of new symptoms; rarely tissue bruising and/or swelling, more rare joint/bone separation/fracture; and extremely rare, disc, nerve or vascular injury;
- 5. I have been informed that at times treatment techniques may include skin to skin contact, tissue mobilization and/or stretching of involved or related areas and digital pressure/light touch/brushing over regions both on and/or away from your primary complaint location;
- 6. I have been informed that certain techniques may require close proximity between clinician and patient;
- 7. I have been informed of my condition, possible benefits, risks of treatment if any, options, and financial obligations;
- 8. I have been informed that it is my responsibility to inform the chiropractor of any condition(s) that would otherwise not come to their attention;
- 9. I have been informed that the chiropractor has made no guarantee of a positive outcome from treatment; and
- 10. I have been afforded ample opportunity for questions and answers.

Therefore, by signing below:

I <u>consent</u> to the performance of the diagnostic and therapeutic procedures performed by the doctor and or staff under the direction and supervision of the office chiropractor(s) involved in my case;

I <u>consent</u> to the performance of other diagnostic and therapeutic procedures in the future that may be deemed reasonable and necessary by the doctor and or staff under the direction and supervision of the office chiropractor(s) involved in my case;

Patient Signature:	Date:
Guardian Name (if applicable):	
Guardian Signature (if applicable):	Date:
Witness Signature:	Date:

Office Policies - Health First Rehab, Inc. dba. Lewis Bay Chiropractic

Patient Messaging Consent

By supplying my home phone number, mobile phone number, email address, and any other personal contact information, I authorize my health care provider to use my personal information, the name of my care provider, the time and place of my scheduled appointment(s), and other limited information, for the purpose of notifying me of a pending appointment, a missed appointment, overdue wellness exam, balances due, lab results, or other communications via an automated outreach and messaging system. I also authorize my healthcare provider to disclose to third parties who may intercept these messages (individuals you have provided with access to your digital devices or email accounts) limited protected health information (PHI) regarding my healthcare events. I consent to receiving multiple messages per day from the automated outreach and messaging system, when necessary.

Privacy Notice Acknowledgement

In accordance with the *Health Insurance Portability and Accountability Act of 1996 (HIPAA)*, by signing below, I acknowledge that a copy of the Notice of Privacy Practices for Protected Health Information for this office has been made available to me. I am advised to read this document carefully, for it outlines the use and limitations of the disclosure of my health information and my rights as a patient. I have been given the opportunity to ask any questions that I may have regarding these policies.

Authorization to Release Medical Information

I authorize my healthcare provider(s) to furnish information from my medical records to any company that may be responsible for payment of all or part of my visit and provider charges, including my insurance companies and their representatives, and my information to this provider for continuing care.

Massage Therapy Non-Covered Service Waiver

Massage therapy services performed by a licensed massage therapist in this office are not a covered benefit under your current health plan, as these procedures are not performed directly by a participating physician/provider.

There is a fee of \$10.00 per visit for this service.

_Initial

Authorization for Direct Payment of Insurance Benefits

I, or my representative, authorize direct payment to the provider(s) and/or clinic rendering any services during this visit of any insurance benefits otherwise payable to me.

Health Insurance/Patient Payment Policy

We will file your insurance claims for you. <u>However, we cannot guarantee or take responsibility for what your health</u> <u>insurance will or will not cover.</u> <u>Ultimately, all services rendered to you are charged directly to you and you are personally</u> <u>responsible for payment.</u> Payment for all services, including copays, coinsurance and deductibles, are expected at the time of service unless prior arrangement are made with us. **If you have a cash balance with our office greater than** <u>45</u> <u>days</u>, there will be a finance charge of <u>5% per month applied to your account</u>.

Treatment Compliance. Appointment Cancellation Policy

We require 24 hour notice for patient cancellations. Health First Rehab, INC reserves the right to charge $\underline{\$60}$ for missed appointments if this policy is abused. This amount is not covered by any insurance plan and will be the patient's responsibility. Further, greater than 2 missed appointments will be considered non-compliance and subject to discharge from care.

<u>Initial</u>

I have read the Health First Rehab, Inc. office policies and will honor them:

Print Name

Patient Signature

Patient Information

Date:		
Name:	DOB:	
Address:		
Town:	State:	Zip:
Home Phone:	Cell #:	
E-mail address:		
Social Security # -	_	
Marital Status:		
Emergency Contact:		
Relation:	Phone:	
Occupation:		
Primary Care MD:		
Permission to send treatment notes	s: Yes	NO

PATIENT PAIN FORM

Health First Rehab, INC dba Lewis Bay Chiropractic

Patient:	Date of Birth:	Today's Date:
SHOW US YOUR PAIN		WC Date of Injury (if applicable):
USE THE LETTERS BELOW TO INDICATE THE TYPE AND LOCATION OF YOUR SYMPTOMS TODAY	1. When	did your symptoms first begin?
KEY: $A = ACHE$ B = BURNING N = NUMBNESS P = PINS & S = STABBING X = STIFFNESS T = THROBBING O = OTHEN	NEEDLES	and your symptoms mist begint
F.	иснт	caused your recent symptoms?
	$\frac{1}{3. \text{ Is this}}$	an exacerbation of a chronic condition?
	APPE	Yes No
	4. Have	you had these symptoms in the past?
		Yes No
	Please sign	Here:
0 1 2 3 4 5 6 7 8 9 (No Pain) (Worst	10 🗱	
I experience the above symptoms: Constantly	Very Often	Occasionally Infrequently
I feel that my symptoms are: Getting Bette My symptoms are: Dull, Achy Stiffness	r Getting Wors	
	s and needles	
Symptoms radiate/refer to my: Head Shoulders (B		
		egs Left leg Right Leg nding Lifting Work Activity
Other, please explain:		
Symptoms are relieved with: Rest/Lying down Other, please explain:		tretching Movement Massage
I am unable to perform the following activities due to pair		
List current medications/Supplements: See current m	nedication list provide	ed
1. 2. 3.	4.	5.
I am experiencing the following symptoms (please check a		
 Shortness of breath Difficulty breathing Pain with coughing Bowel/bladder changes Urinary incontinence Blood in stool Other symptoms: 	dizziness es	 Difficulty sleeping Difficulty concentrating Memory problems Mood swings, irritability Loss of appetite/Weight loss Fatigue

Patient Name

ACN Group, Inc. Use Only rev 3/27/2003

Date _____

This questionnaire will give your provider information about how your neck condition affects your everyday life. Please answer every section by marking the one statement that applies to you. If two or more statements in one section apply, please mark the one statement that most closely describes your problem.

Pain Intensity

- I have no pain at the moment.
- The pain is very mild at the moment.
- The pain comes and goes and is moderate.
- The pain is fairly severe at the moment.
- The pain is very severe at the moment.
- The pain is the worst imaginable at the moment.

Sleeping

- I have no trouble sleeping.
- My sleep is slightly disturbed (less than 1 hour sleepless).
- My sleep is mildly disturbed (1-2 hours sleepless).
- My sleep is moderately disturbed (2-3 hours sleepless).
- My sleep is greatly disturbed (3-5 hours sleepless).
- My sleep is completely disturbed (5-7 hours sleepless).

Reading

- I can read as much as I want with no neck pain.
- I can read as much as I want with slight neck pain.
- I can read as much as I want with moderate neck pain.
- I cannot read as much as I want because of moderate neck pain.
- I can hardly read at all because of severe neck pain.
- I cannot read at all because of neck pain.

Concentration

- I can concentrate fully when I want with no difficulty.
- I can concentrate fully when I want with slight difficulty.
- I have a fair degree of difficulty concentrating when I want.
- I have a lot of difficulty concentrating when I want.
- I have a great deal of difficulty concentrating when I want.
- I cannot concentrate at all.

Personal Care

- I can look after myself normally without causing extra pain.
- I can look after myself normally but it causes extra pain.
- It is painful to look after myself and I am slow and careful.
- I need some help but I manage most of my personal care.
- I need help every day in most aspects of self care.
- I do not get dressed, I wash with difficulty and stay in bed.

Lifting

- I can lift heavy weights without extra pain.
- I can lift heavy weights but it causes extra pain.
- Pain prevents me from lifting heavy weights off the floor, but I can manage if they are conveniently positioned (e.g., on a table).
- Pain prevents me from lifting heavy weights off the floor, but I can manage light to medium weights if they are conveniently positioned.
- I can only lift very light weights.
- I cannot lift or carry anything at all.

Driving

- I can drive my car without any neck pain.
- I can drive my car as long as I want with slight neck pain.
- I can drive my car as long as I want with moderate neck pain.
- I cannot drive my car as long as I want because of moderate neck pain.
- I can hardly drive at all because of severe neck pain.
- I cannot drive my car at all because of neck pain.

Recreation

- I am able to engage in all my recreation activities without neck pain.
- I am able to engage in all my usual recreation activities with some neck pain.
- I am able to engage in most but not all my usual recreation activities because of neck pain.
- I am only able to engage in a few of my usual recreation activities because of neck pain.
- I can hardly do any recreation activities because of neck pain.
- I cannot do any recreation activities at all.

Work

- I can do as much work as I want.
- I can only do my usual work but no more.
- I can only do most of my usual work but no more.
- I cannot do my usual work.
- I can hardly do any work at all.

I have no headaches at all.

Headaches

- I have slight headaches which come infrequently.
- I have moderate headaches which come infrequently.
- I have moderate headaches which come frequently.
- I have severe headaches which come frequently.

Icannot do any work at all. Index Score = [Sum of all statements selected / (# of sections with a statement selected x 5)] x 100

Calculate Score

SVEER

.

Back Index

Patient Name

Date

This questionnaire will give your provider information about how your back condition affects your everyday life. Please answer every section by marking the one statement that applies to you. If two or more statements in one section apply, please mark the one statement that most closely describes your problem.

Pain Intensity

- The pain comes and goes and is very mild.
- The pain is mild and does not vary much.
- The pain comes and goes and is moderate.
- The pain is moderate and does not vary much.
- The pain comes and goes and is very severe.
- The pain is very severe and does not vary much.

Sleeping

- I get no pain in bed.
- I get pain in bed but it does not prevent me from sleeping well.
- Because of pain my normal sleep is reduced by less than 25%.
- Because of pain my normal sleep is reduced by less than 50%.
- Because of pain my normal sleep is reduced by less than 75%.
- Pain prevents me from sleeping at all.

Sitting

- I can sit in any chair as long as I like.
- I can only sit in my favorite chair as long as I like.
- Pain prevents me from sitting more than 1 hour.
- Pain prevents me from sitting more than 1/2 hour.
- Pain prevents me from sitting more than 10 minutes.
- I avoid sitting because it increases pain immediately.

Standing

- I can stand as long as I want without pain.
- I have some pain while standing but it does not increase with time.
- I cannot stand for longer than 1 hour without increasing pain.
- I cannot stand for longer than 1/2 hour without increasing pain.
- I cannot stand for longer than 10 minutes without increasing pain.
- I avoid standing because it increases pain immediately.

Social Life

- My social life is normal and gives me no extra pain.
- My social life is normal but increases the degree of pain.
- Pain has no significant affect on my social life apart from limiting my more energetic interests (e.g., dancing, etc).
- Pain has restricted my social life and I do not go out very often.
- Pain has restricted my social life to my home.
- I have hardly any social life because of the pain.

Walking

- I have no pain while walking.
- I have some pain while walking but it doesn't increase with distance.
- I cannot walk more than 1 mile without increasing pain.
- I cannot walk more than 1/2 mile without increasing pain.
- I cannot walk more than 1/4 mile without increasing pain.
- I cannot walk at all without increasing pain.

Personal Care

- I do not have to change my way of washing or dressing in order to avoid pain.
- I do not normally change my way of washing or dressing even though it causes some pain.
- Washing and dressing increases the pain but I manage not to change my way of doing it.
- Washing and dressing increases the pain and I find it necessary to change my way of doing it.
- Because of the pain I am unable to do some washing and dressing without help. Because of the pain I am unable to do any washing and dressing without help.

Lifting

- I can lift heavy weights without extra pain.
- I can lift heavy weights but it causes extra pain.
- Pain prevents me from lifting heavy weights off the floor.
- Pain prevents me from lifting heavy weights off the floor, but I can manage if they are conveniently positioned (e.g., on a table).
- Pain prevents me from lifting heavy weights off the floor, but I can manage
 - light to medium weights if they are conveniently positioned.

Traveling

- I get no pain while traveling.
- I get some pain while traveling but none of my usual forms of travel make it worse.
- I get extra pain while traveling but it does not cause me to seek alternate forms of travel.
- I get extra pain while traveling which causes me to seek alternate forms of travel.
- Pain restricts all forms of travel except that done while lying down.
- Pain restricts all forms of travel.

Index Score = [Sum of all statements selected / (# of sections with a statement selected x 5)] x 100

Calculate Score

Changing degree of pain

- My pain is rapidly getting better.
- My pain fluctuates but overall is definitely getting better.
- My pain seems to be getting better but improvement is slow.
- My pain is neither getting better or worse.
- My pain is gradually worsening. My pain is rapidly worsening.

I can only lift very light weights.

Patient Name:	Date:									
Always Correlate Symptoms with PPF form fill	led out by patient!!!									
1. New patient 1 st visit or New injury :	N Y: PPF, perform comprehensive exam.									
2. Exacerbations since last treatment?	N Y:PPF, MOI:									
2. Exacerbations since last treatment? N Y:PPF, MOI:										
NP NRS : 0 1 2 3 4 5 6 7 8 9 10/10 Coug	h? (+) (-) Since last tx? Better Worse Same									
B R L RR? BUE RUE LUE – sh elbow h	nand fingers N. Root : C4 C5 C6 C7 C8 T1									
N/T/W? BUE RUE LUE	N. Root : C4 C5 C6 C7 C8 T1									
HA NRS: 0 1 2 3 4 5 6 7 8 9 10/10 B R L Type: occipital parietal temporal N/T/W? occipital parietal										
· · ·	g Dizziness Light headed Slurred speech									
B R L Radiation Referral? BUE RUE L	10 Since last tx? Better Worse Same .UE - elbow hand fingers tribution? : TOS Radial Median Ulnar									
ELB WRIST HD NRS: 0 1 2 3 4 5 6 7 8 9 B R L Radiation Referral? elbow hand N / T / W? BUE RUE LUE - elbow Distribution?: Radial Median UI	w hand fingers									
MBP NRS:012345678910/10CougBRLRadiation Referral?FlankBRIDifficulty breathingshortness of										
B R L RR? BLE RLE LLE - buttock shir	bugh? (+) (-) Since last tx? Better Worse Same in calf foot/toes N. Root? : L1 L2 L3 L4 L5 S1 shin calf foot/toes N. Root? : L1 L2 L3 L4 L5 S1									
SI NRS: 0 1 2 3 4 5 6 7 8 9 10/10 B R L Radiation Referral? Groin B R L	Since last tx? Better Worse Same N / T / W? BLE RLE LLE									
	Since last tx? Better Worse Same E Groin B R L N/T/W? BUE RUE LUE									
HIP NRS: 0 1 2 3 4 5 6 7 8 9 10/10 B R L Radiation Referral? BLE RLE L N / T / W? BLE RLE LLE Dis										
B R L Radiation Referral? calf achillies	0/10Since last tx? Better Worse Sames shin foot toestoesN. Distribution?: Fib. Tib Ant Tib Post.									

Name:				h:	DOI:
Vitals: HT:	WT:	TEMP:	HR:	BP:	

PRESENTATION

Weight?	Normal Slightly Overweight Overweight Obese
Conditioning?	Normal Deconditioned
Pain Distress?	No Mild Moderate Severe
Alert and Oriented?	Yes No:
Slurred speech, facial asymmetry or delay in mentation?	No Yes:
Degree of Difficulty Transitioning Positions	No Slight Mild Moderate Severe
Ambulates Without Assistance	Yes No – Assist Device? Cane Walker Wheelchair bound
Ataxia, Limp or Antalgia?	□ No □ Yes: □ Ataxia □ Limp R L □ Antalgia R L

POSTURE

Cervical	Slight FHC FHC UCS LLF head RLF head	S	\cap
Shoulders	\Box Sh's Level \Box R tilt shoulder \Box L tilt shoulder \Box Hand Dominance? R L	R	LEFT
	\Box Scapular Winging R L \Box Interscap. distance = R L \Box Poor Scap/hum rhythm L R	hal	36
Thoracic	Dowager's Hyperkyphosis Hypokyphosis Scapular Winging B R L	()	17
	\square ADAM's/Scoliosis: Apex R L \square Rib Hump R L \square Other findings:	RICHT	JAYNU
Lumbar	FCT Hyperlordosis Hypolordosis L Antalgia R Antalgia		Steel And
Pelvic	□ Right short leg □ Right tilt pelvis □ Left short leg □ Left tilt pelvis)-V/4
	Anterior pelvis B R L Posterior pelvis B R L	(find	
Lower Extremities	Gen valgus B R L Gen varus B R L Achilles bow B R L Pes Planus B R L		
Other Findings	Adam's (scoliosis)/	LEFT	and the

RANGE OF MOTION

(T = tight)

	1						
WNL LROM (limited Range of Motion)	P (px) Location?		RR to UE's?	N/T UE's?	Location?		
0 5 10 15 20 25 30 35 40 45 50/50	T 0 1 2 3	NP B R L	No B R L	Nobr L	Sh elb wrist hand/fing		
0 5 10 15 20 25 30 35 40 45 50 55 60 /60	T 0 1 2 3	NP B R L	No B R L	Nobr L	Sh elb wrist hand/fing		
0 5 10 15 20 25 30 35 40 45/45	T 0 1 2 3	NP B R L	No b r l	No b r l	Sh elb wrist hand/fing		
0 5 10 15 20 25 30 35 40 45 /45	T 0 1 2 3	NP B R L	No b r l	No b r l	Sh elb wrist hand/fing		
10 15 20 25 30 35 40 45 50 55 60 65 70 75 80/ 80	T 0 1 2 3	NP B R L	No B R L	Nobr L	Sh elb wrist hand/fing		
10 15 20 25 30 35 40 45 50 55 60 65 70 75 80/ 80	T 0 1 2 3	NP B R L	No B R L	Nobr L	Sh elb wrist hand/fing		
c 🗌 Scapular Protraction	T 0 1 2 3	MBBRL	No B R L	Nobr L	Flank ribs chest		
Scapular Retraction	T 0 1 2 3	MBBRL	No B R L	No B R L	Flank ribs chest		
	0 5 10 15 20 25 30 35 40 45 50/50 0 5 10 15 20 25 30 35 40 45 50 50 0 5 10 15 20 25 30 35 40 45/45 0 5 10 15 20 25 30 35 40 45/45 0 5 10 15 20 25 30 35 40 45 /45 10 15 20 25 30 35 40 45 /50 56 66 70 75 80/80 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80/80	0 5 10 15 20 25 30 35 40 45 50/50 T 0 1 2 3 0 5 10 15 20 25 30 35 40 45 50/50 T 0 1 2 3 0 5 10 15 20 25 30 35 40 45 50 56 60 T 0 1 2 3 0 5 10 15 20 25 30 35 40 45/45 T 0 1 2 3 0 5 10 15 20 25 30 35 40 45 /45 T 0 1 2 3 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80/80 T 0 1 2 3 10 15 20 25 30 35 40	0 5 10 15 20 25 30 35 40 45 50/50 T 0 1 2 3 NP B R L 0 5 10 15 20 25 30 35 40 45 50/50 T 0 1 2 3 NP B R L 0 5 10 15 20 25 30 35 40 45/45 T 0 1 2 3 NP B R L 0 5 10 15 20 25 30 35 40 45/45 T 0 1 2 3 NP B R L 0 5 10 15 20 25 30 35 40 45 50 56 66 70 75 80/80 T 0 1 2 3 NP B R L 10 15 20 25 30 35	0 5 10 15 20 25 30 35 40 45 50/50 T 0 1 2 3 NP B R L No B R L No <td>0 5 10 15 20 25 30 35 40 45 50/50 T 0 1 2 3 NP B R L No B R L No B R L No B R L 0 5 10 15 20 25 30 35 40 45 50 55 60 /60 T 0 1 2 3 NP B R L No B R L No B R L No B R L 0 5 10 15 20 25 30 35 40 45 50 55 60 /60 T 0 1 2 3 NP B R L No B R L No B R L No B R L 0 5 10 15 20 25 30 35 40 45/45 T 0 1 2 3 NP B R L No B R L No B R L No B R L 0 5 10 15 20 25 30 35 40 45 /45 T 0 1 2 3 NP B R L No B R L No B R L No B R L 10 15 20 25 30 35 40 45 /45 T 0 1 2 3 NP B R L No B R L No B R L No B R L 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80/80 T 0 1 2 3 NP B R L No B R L No B R L 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80/80 T 0 1 2 3 NP B R L No B R L No B R L 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80/80 T 0 1 2 3 NP B R L No B R L No B R L 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80/80 T 0 1 2 3 NP B R L No B R L No B R L</td>	0 5 10 15 20 25 30 35 40 45 50/50 T 0 1 2 3 NP B R L No B R L No B R L No B R L 0 5 10 15 20 25 30 35 40 45 50 55 60 /60 T 0 1 2 3 NP B R L No B R L No B R L No B R L 0 5 10 15 20 25 30 35 40 45 50 55 60 /60 T 0 1 2 3 NP B R L No B R L No B R L No B R L 0 5 10 15 20 25 30 35 40 45/45 T 0 1 2 3 NP B R L No B R L No B R L No B R L 0 5 10 15 20 25 30 35 40 45 /45 T 0 1 2 3 NP B R L No B R L No B R L No B R L 10 15 20 25 30 35 40 45 /45 T 0 1 2 3 NP B R L No B R L No B R L No B R L 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80/80 T 0 1 2 3 NP B R L No B R L No B R L 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80/80 T 0 1 2 3 NP B R L No B R L No B R L 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80/80 T 0 1 2 3 NP B R L No B R L No B R L 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80/80 T 0 1 2 3 NP B R L No B R L No B R L		

TLsp	WNL LROM (limited Range of Motion)	P (px)	Location?	RR to LE's?	N/T UE's?	Location?	
Flex				No b r l		1	
Ext	0 5 10 15 20 25/25	T 0 1 2 3	LBBRL	No b r l	Nobr L	Hip knee ankle foot	
LLF	0 5 10 15 20 25 30 35/35	T 0 1 2 3	LBBRL	No b r l	Nobr L	Hip knee ankle foot	
RLF	0 5 10 15 20 25 30 35/35	T 0 1 2 3	LBBRL	No b r l	Nobr L	Hip knee ankle foot	
LR	0 5 10 15 20 25 30 35 40 45/45	T 0 1 2 3	LBBRL	No b r l	Nobr L	Hip knee ankle foot	
RR	0 5 10 15 20 25 30 35 40 45/45	T 0 1 2 3	LBBRL	No b r l	No b r l	Hip knee ankle foot	

SH r l	WNL		Px	HIP r l	WNL	Px	KNEE R L	WNL	Px	ELB R L	WNL	Px
Flex		/180	T 0 1 2 3	Flex	/18	0 T O 1 2 3	Flex			Flex	/140	T 0 1 2 3
Ext		50	T 0 1 2 3	Ext	/50	T 0 1 2 3	Ext	/0	T 0 1 2 3	Ext	/0	T 0 1 2 3
ABD		180	T 0 1 2 3	ABD	/180	T 0 1 2 3	ANK R L	WNL	Px	Supin	/80	T 0 1 2 3
ADD		'50	T 0 1 2 3	ADD	/50	T 0 1 2 3	Dorsi	/20	T 0 1 2 3	Pronat	/80	T 0 1 2 3
IR		'90	T 0 1 2 3	IR	/90	T 0 1 2 3	Plantar	/45	T 0 1 2 3	Wrist R L	WNL	Px
ER		'90	T 0 1 2 3	ER	/90	T 0 1 2 3	Inversion			Flex	/60	T 0 1 2 3
							Eversion	/10	T 0 1 2 3	Ext	/60	T 0 1 2 3
										Rad dev	/20	T 0 1 2 3
										Uln dev	/10	T 0 1 2 3

ORTHOPEDIC

СТѕр	(-)	P (px)	Loc	ation?	RR to U	JE's?	N/T U	E's?	L	ocatio	on?
Px w/ Cough?		T 0 1 2 3	NP B	R L	□No B	R L	□No B	R L	Sh elb	wrist	hand/fing
Lindner's		T 0 1 2 3	NP B	R L	□No B	R L	□No B	R L	Sh elb	wrist	hand/fing
Sh Shrugs (XI)		T 0 1 2 3	NP B	R L	□No B	R L	□No B	R L	Sh elb	wrist	hand/fing
Sh Depress		T 0 1 2 3	NP B	R L	□No B	R L	□No B	R L	Sh elb	wrist	hand/fing
Csp Compress		T 0 1 2 3	NP B	R L	□No B	R L	□No B	R L	Sh elb	wrist	hand/fing
Lat Compress		T 0 1 2 3	NP B	R L	□No B	R L	□No B	R L	Sh elb	wrist	hand/fing
MAIGNE'S		T 0 1 2 3	NP B	R L	□No B	R L	□No B	R L	Sh elb	wrist	hand/fing
MFE		T 0 1 2 3	NP B	R L	□No B	R L	□No B	R L	Sh elb	wrist	hand/fing
Csp Distract		T 0 1 2 3	NP B	R L	□No B	R L	□No B	R L	Sh elb	wrist	hand/fing
T Persussion		T 0 1 2 3	NP B	R L	□No B	R L	□No B	R L	Sh elb	wrist	hand/fing
Inspir/Expir		T 0 1 2 3	NP B	R L	□No B	R L	□No B	R L	Sh elb	wrist	hand/fing
Resist Inspir		T 0 1 2 3	NP B	R L	□No B	R L	□No B	R L	Sh elb	wrist	hand/fing
Bakody		T 0 1 2 3	NP B	R L	□No B	R L	□No B	R L	Sh elb	wrist	hand/fing
Adson's		negative	(+)	RL(T	OS)						
Other:											

Shoulder L R	(-)	P (px)
Sulcus Test		T 0 1 2 3
Dawburn's		T 0 1 2 3
AC compression		T 0 1 2 3
Codman's drop arm		T 0 1 2 3
Supraspinatus stress		T 0 1 2 3
Infraspinatus stress		T 0 1 2 3
Subscapularis stress		T 0 1 2 3
Teres minor stress		T 0 1 2 3
Yergason's		T 0 1 2 3
Crank Test		T 0 1 2 3
SLAP test (Obrien's)		T 0 1 2 3
Wright's TOS		(+) R L TOS
Elbow/Wrist L R	(-)	P (px)
Phalen's Prayer		□ (+) L R
N. Tap: med ulnar		□ (+) L R

Lumbopelvic	(-)	P (px)	Loc	ati	on'	?	RR to) U	JE,	s?	N/T	U	E's	?		Loca	ation?	•
Minor's	L 1	absent 🗌	present	;														
Px w/ cough?		T 0 1 2 3	LBP	В	R	L	🗌 No	В	R	L	🗌 No	В	R	L	Hip	knee	ankle	foot
Lindner's		T 0 1 2 3	LBP	В	R	L	🗌 No	В	R	L	🗌 No	В	R	L	Hip	knee	ankle	foot
Kemp's		T 0 1 2 3	LBP	В	R	L	🗌 No	В	R	L	🗌 No	В	R	L	Hip	knee	ankle	foot
SI compress		T 0 1 2 3	SI	В	R	L	🗌 No	В	R	L	🗌 No	В	R	L	Hip	knee	ankle	foot
Iliac compress		T 0 1 2 3	LB/P	В	R	L	🗌 No	В	R	L	🗌 No	В	R	L	Hip	knee	ankle	foot
Bechterew's		T 0 1 2 3	LBP	В	R	L	🗌 No	В	R	L	🗌 No	В	R	L	Hip	knee	ankle	foot
Braggard's		T 0 1 2 3	LBP	В	R	L	🗌 No	В	R	L	🗌 No	В	R	L	Hip	knee	ankle	foot
SLR Right		T 0 1 2 3	LBP@			deg	🗌 No	В	R	L	🗌 No	В	R	L	Hip	knee	ankle	foot
SLR Left		T 0 1 2 3	LBP@			deg	🗌 No	В	R	L	🗌 No	В	R	L	Hip	knee	ankle	foot
Bowstring		T 0 1 2 3	LBP	В	R	L	🗌 No	В	R	L	🗌 No	В	R	L	Hip	knee	ankle	foot
FABER's		T 0 1 2 3	HIP	В	R	L	🗌 No	В	R	L	🗌 No	В	R	L	Hip	knee	ankle	foot
Sacral compress		T 0 1 2 3	LS	В	R	L	🗌 No	В	R	L	🗌 No	В	R	L	Hip	knee	ankle	foot
Lsp compress		T 0 1 2 3	LBP	В	R	L	🗌 No	В	R	L	🗌 No	В	R	L	Hip	knee	ankle	foot
Nachlas		T 0 1 2 3	LB/P	В	R	L	🗌 No	В	R	L	🗌 No	В	R	L	Hip	knee	ankle	foot
Hibb's		T 0 1 2 3	HIP	В	R	L	🗌 No	В	R	L	🗌 No	В	R	L	Hip	knee	ankle	foot
Yeoman's		T 0 1 2 3	Psoas	В	R	L	🗌 No	В	R	L	🗌 No	В	R	L	Hip	knee	ankle	foot
			(LB / P	= L)	BP	or Pe	lvic px)											

Knee L R	(-)	(+)	Indication?
Swelling			
Ballotment			
Patellar Grind			Chondromal.
Valgus Stress			LM MCL
Varus Stress			MM LCL
ANT Drawer			ACL
POST Drawer			PCL
Apley Compression			MM LM
Apley Distraction			MCL LCL
OTHER TES	TS NO	T LIS	STED:

unremarkable

 $\Box Y \Box N$

□ Y □ N

 $\Box Y \Box N$

 $\Box Y \Box N$

 $\Box Y \Box N$

 $\Box Y \Box N$

Neuro Tests Intact PERRLA (III) $\Box Y \Box N$ □ Y □ N Cardinal Fields (III, IV, VI) Raise brows/Frowns (VII) $\Box Y \Box N$ Tongue to Cheek (XII) $\Box Y \Box N$ Finger Tapping $\Box Y \Box N$

NEUROLOGICAL

Finger to Nose (cer)

Graphesthesia

Stereognosis

Babinski

Alt pron/supination hands

Spells "World" Backwords

Motor	WNL	Grade
C5		0 1 2 3 4 5/5
C6		0 1 2 3 4 5/5
C7		0 1 2 3 4 5/5
C8		0 1 2 3 4 5/5
T1		0 1 2 3 4 5/5
L1		0 1 2 3 4 5/5
L2		0 1 2 3 4 5/5
L3		0 1 2 3 4 5/5
L4		0 1 2 3 4 5/5
L5		012345/5
S1		0 1 2 3 4 5/5

+2/4	Deficit					
	0 1 3 4					
	0 1 3 4					
	0 1 3 4					
	0 1 3 4					
	0 1 3 4					
	0 1 3 4					
	+2/4					

Sensory	WNL	Absent	Нуро
C5			
C6			
C7			
C8			
T1			
L1			
L2			
L3			
L4			
L5			
S1			

MUSCULOSKELETAL

Tone	ocation
Hypertonic	Csp psm B R L CTsp psm B R L Tsp psm B R L TLsp psm B R L Lsp psm B R L Lumbosacral psm B R L
w Associated	
TrP's	Suboccipitals B R L 🔄 SCM B R L 📄 Scalenes B R L 📄 UTs B R L 📄 UTs/Mid Traps B R L 📄 Lev Scap B R L
	Sh Girdle BRL Cuff BRL Rhom BRL Intercostals BRL Lat Dorsi BRL QLBRL <u>Other:</u>
	Glut med/min B R L 📃 Piriformis B R L 🔄 Iliopsoas B R L 📃 Hip mm's B R L 📃 TFL/ITB B R L
	Arm /wrist/hand B R L 🗌 Quads B R L 🔄 Hams B R L 🔄 Gastroc/sol B R L 🗌 Foot ankle B R L
Tone	Jocation
Spasms	Csp psm B R L CTsp psm B R L Tsp psm B R L TLsp psm B R L Lsp psm B R L Lumbosacral psm B R L
	Suboccipitals B R L 🔲 SCM B R L 🔄 Scalenes B R L 🗋 UTs B R L 🗌 UTs/Mid Traps B R L 🗌 Lev Scap B R L
	Sh Girdle B R L Rot Cuff B R L Rhom B R L Intercostals B R L Lat Dorsi B R L QL B R L <u>Other:</u>
	Glut med/min B R L
	Arm /wrist/hand B R L 🗌 Quads B R L 🔄 Hams B R L 🔄 Gastroc/sol B R L 🗌 Foot ankle B R L
Tone	ocation
Tight	Csp psm B R L 🗌 CTsp psm B R L 🗌 Tsp psm B R L 🗌 TLsp psm B R L 🗌 Lsp psm B R L 🗌 Lumbosacral psm B R L
	Suboccipitals B R L 🔲 SCM B R L 📋 Scalenes B R L 🗋 UTs B R L 🗍 UTs/Mid Traps B R L 🗋 Lev Scap B R L
	Sh Girdle B R L Rot Cuff B R L Rhom B R L Intercostals B R L Lat Dorsi B R L QL B R L <u>Other:</u>
	Glut med/min B R L
75	Arm /wrist/hand B R L Quads B R L Hams B R L Gastroc/sol B R L Foot ankle B R L
Tone	ocation
Hypotonic	Csp psm B R L 🔄 CTsp psm B R L 🗌 Tsp psm B R L 🗌 TLsp psm B R L 📃 Lsp psm B R L 📃 Lumbosacral psm B R L
	Suboccipitals B R L 🔲 SCM B R L 📄 Scalenes B R L 🗋 UTs B R L 📄 UTs/Mid Traps B R L 🗋 Lev Scap B R L
	Sh Girdle B R L Rot Cuff B R L Rhom B R L Intercostals B R L Lat Dorsi B R L QL B R L <u>Other:</u>
	Glut med/min B R L Diriformis B R L Illiopsoas B R L Hip mm's B R L TFL/ITB B R L
	Arm /wrist/hand B R L 🗌 Quads B R L 🔄 Hams B R L 🔄 Gastroc/sol B R L 📃 Foot ankle B R L

SEGMENTAL JOINT DYSFUNCTION

C0/1	C2	C3	C4	C5	C6	C7	T1	T2	T3	T4	T5	T6	T7	T8	Т9	T10	T11	T12	L1	L2	L3	L4	L5
S1	S2	S3	S4	S5																			
		Dal		~ 4 •									E	4	4 : /E		in al						

Р	elvic Listings	Extremities/Extraspinal						
Left Ilium	🗌 PI 🔄 AS 🗌 PI-IN 🗌 PI-EX	Shoulder R L	Ribs R L levels?					
Right ilium	🗌 PI 🔄 AS 🗌 PI-IN 🗌 PI-EX	Elbow R L	🗆 Hip RL					
Sacral Apex	SAR SAL	🗆 Wrist RL	□ Knee R L					
Sacral Base	□ Nutation □ Counternutation □ Right tilt □ Left Tilt	Hand R L	□ Ankle R L					
Соссух	Right Left	Fingers R L	Foot R L					

DDX: Go to Chirotouch to find & enter diagnosis.

TREATMENT FREQ: 1 1 2 3 4 5 Treatments per week for 1 2 3 4 5 6 Weeks, <u>Re-evaluation due!</u>

CHIROPRACTIC TECHNIQUE

0	FS/Pelvis Csp Tsp SI B R L Sacrum Ribs B R L UE B R L sh elb wr hand LE B R L hip knee ankle foot
	FS/Pelvis Csp Tsp SI B R L Sacrum Ribs B R L UE B R L sh elb wr hand LE B R L hip knee ankle foot
Arthrostim	FS/Pelvis Csp Tsp SI B R L Sacrum Ribs B R L UE B R L sh elb wr hand LE B R L hip knee ankle foot
Flexion/Distraction	
Diversified	FS/Pelvis Csp Tsp SI B R L Sacrum Ribs B R L UE B R L sh elb wr hand LE B R L hip knee ankle foot
Pelvic Drop	Pelvis ISBRL
Other:	

ANCILLARY THERAPIES

	FS/Pelvis Csp Tsp Lsp Pelv B R L Sacrum Ribs B R L UE B R L sh elb wr hnd LE B R L hip kn ank ft
	FS/Pelvis Csp Tsp Lsp Pelv B R L Sacrum Ribs B R L UE B R L sh elb wr hnd LE B R L hip kn ank ft
	Csp/CTsp Tsp/TLsp Lsp/LS SI B R L Sacrum Ribs B R L UE B R L sh elb wr hnd LE B R L hip kn ank ft
	Csp/CTsp Tsp/TLsp Lsp/LS SI B R L Sacrum Ribs B R L UE B R L sh elb wr hnd LE B R L hip kn ank ft
	Csp/CTsp Tsp/TLsp Lsp/LS SI B R L Sacrum Ribs B R L UE B R L sh elb wr hnd LE B R L hip kn ank ft
NSSD	Csp Lsp Max:lbs Min:lbs. forMinutes
Other:	

DC: _____ Scribe initials: ____



Home Care Instructions for: _____

Date: _____

- To assist with your healing process, only perform instructions checked specifically for your condition.
- Perform all home instruction/exercises to your tolerance and ability.
- If your symptoms worsen, discontinue and contact your chiropractic physician.

Ice / Heat Therapy:

ICE ONLY: Apply ice pack for <u>20</u> minutes every <u>2</u> hours. (Avoid placing ice pack directly on skin)

ICE CUP: Use ice cup directly on injured area <u>6</u> minutes every <u>2</u> hours. (*Use circular motion*)

ALTERNATE HEAT AND ICE: Shower for <u>5 -10</u> minutes, follow immediately with ice pack for <u>20</u> minutes. Can use moist heat pack if a shower is not available.

HEAT ONLY: Apply hot moist pack for <u>20</u> minutes every <u>2</u> hour(s) or as needed.

JEPSOM SALT BATH: Soak for <u>10</u> minutes. Repeat 2-3 times per day or as needed. Follow immediately with ice pack or <u>20</u> minutes.

Positions of Rest: AVOID: Sitting, Lifting, Bending, Twisting, Prolonged Standing and Sleeping on Stomach.

Sleep on your back with a pillow(s) under knees.

Sleep on your ____ side, with a pillow between your knees and ‰ug a pillow+or use a body pillow.

Rest/Ice on your back with two pillows under your knees.







Arising From Bed:

- 1. Start from a side lying position.
- 2. Maintain control of your legs as you swing them off the edge of the bed, **use your elbow/arms to sit upright.**
- 3. Exhale as you move from a lying to seated position. *Don't hold your breath!*



Additional Instructions:

Drink plenty of water! Water is important for many reasons and it helps with your healing process.
Use Valerian Root (homeopathic muscle relaxant) to help you sleep if needed. Take 1 -2 capsules, ½ hour before bed. Available at local drug stores and natural food stores.
Apply BioFreeze as needed.
Source of Life Disc Flex Al Formula
Magnesium glyincate 400-500mg/day to bowel tolerance